

-exterpark Decking Maintenance guide



Ipe
Merbau
Kurupay
Massaranduba
Plantation Teak
Burma Teak
Elondo
Cumaru



Exterpark Classic
Exterpark Plus



Exterpark hardwood decking has a unique invisible fastener system.
This decking is trully world class



Cleaning

All our wood is natural and will silver naturally with age, therefore, to resist both algae and moss growth you need to regularly clean and oil your deck

DO NOT use any kind of chemical, abrasive cleaners, solvents, wax or indeed any other cleaners, unless recommended by Exterior Decking, on hardwood as these can harm the deckboard finish.

DO NOT pressure wash as you could damage the finish on the boards.

The surface texture is porous, to remove dirt and grime wash with soapy water, or Netrol by Owatrol, and brush with a broom before rinsing off. Ensure that the spacing between each board is clear to allow for good water drainage.

Oiling

Your deck should be oiled using Owatrol Textrol or Deks Olje. To maintain the surface colour for as long as practicable oil should be applied twice annually. This is to be done with a new clean paint brush or cloth at 6 monthly intervals or as often as required.

For use of Owatrol decking oil follow manufacturer's instructions at all times.

Weathering

Long term ageing tests have shown that our hardwood decking is very stable and no adverse reactions are expected over time under normal conditions.

All colours are natural and our products are hand finished ensuring Exterpark Decking will give an excellent overall natural effect throughout its life, certainly holding colour longer than soft wood decking.

Left un-oiled all hardwood decking will change colour to silver over time. If this appearance is not desirable Exterior Decking can be called back to treat the deck and bring the original colour back and coat with oil.



Exterpark hardwood decking has a unique invisible fastener system.
This decking is trully world class



Damage to Surface

Mild damage should not show under normal usage conditions due to the varied texture and colours in the hardwood, however, sharp metal objects such as narrow metal chair legs, spiked shoes or similar may damage the surface.

Use of rock salt or grit may increase surface wear on decks as it is abrasive.

Winter Use

We do not advise the use of rock salt as this will leave surface scratches and will result in increased maintenance, unless required for health and safety reasons.

Maintenance

It would be advisable to clean and oil the deck in March/April and again September/October.

For any maintenance requirements, scheduled maintenance, cleaning, oiling or advice call 01494 725 709 [or click here](#)



Exterpark hardwood decking has a unique invisible fastener system.
This decking is truly world class

