exterpark DECKING REINVENTED





DECKING RANGE

EXTERPARK TECH . PAGE 12

CHOICE , PAGE 12

SEMI SOLID 22x145x2200mm





CUBE . PAGE 16

SEMI SOLID 22x145x2200mm



WALL . PAGE 14

SOLID 13x145x2200mm



ROCK , PAGE 14

SOLID 20x145x2200mm



CUBE WALL , PAGE 18

WALL PANEL 25x145x2200mm





SUPREME , PAGE 20

SOLID 23x145x2200mm · 23x100x2200mm





EXTERPARK BAMBOO . PAGE 22

NATURAL

CARBONIZED


GREY

20x137x1855mm

20x137x1855mm

20x137x1855mm







EXTERPARK WOOD . PAGE 24

SPECIES























DIMENSIONS













21x145mm

25x140mm

35x135mm

21x95mm

21x65mm

2

More info: page 6 More info: page 9

INVISIBLE PROFILE ACCESSIBLE **SCREWS**

More info: page 8 More info: page 10

4 GAME CHANGERS

INNOVATION IS OUR PASSION

It drives us to keep improving our products and find new solutions that put us one step ahead.

1. INVISIBLE PROFILE

Who prefers open gaps vs invisible gaps?
Who prefers to see the understructure?
Who prefers to get heels stuck in between boards?
Our patented invisible profile is an absolute winner and it just looks so much better.

A SUBTLE DIFFERENCE WHICH MAKES A BIG DIFFERENCE

2. 100% ACCESSIBLE

Total access for decks, walls and ceilings.

We have created the most flexible system enabling you to have access anytime, anywhere with our Magnet Tool.

Made a mistake? No problem, open and redo again.

EMBRACE FLEXIBILITY AS ONE OF YOUR BEST ALLIES

3. NO SCREWS

Who likes screws, screw drivers and the whole noise that comes with it?

We are in 2022, and the way to go is No Screws.

A smart fixing method which has been acknowledged by the industry as the best system available.

Our mechanical locking is strong but yet flexible. It will always allow us to go back.

MAINTENANCE FRIENDLY AND VERY GENTLE FOR THE USER

4. ALUMINUM JOISTS

Choosing the right substructure is choosing the right foundation.
You would not build your own home in a mud foundation, right?
Then please do not choose soft wood or plastic joists to build your deck.
Aluminum is the best choice and you would love working with it.

STRAIGHT LIKE AN ARROW AND STABLE AS A ROCK

5

invisible profile 1.2 NO LO\$\$ 1.1 HYGIENIC 1.3 SAFER Don't lose your mobile. Don't lose your coins. Don't lose your ring... Food & leaves can't fall down Dress to impress! INVISIBLE PROFILE

Who prefers to have gaps between boards when it can look like this? Smart!

PATENTED

Patented invisible profile system

with 4mm spacing for optimal drainage and ventilation

1.4 BETTER LOOK

No gaps & no understructure to be seen

screwless installation

An advanced mechanical locking with superior grip which holds boards stronger than a screw but yet flexible to open up and close again when necessary.

the magneτ®

Easy → No screws

Fast ... No predrilling

Silent ·→ No tools

Cost-Efficient

100% accessible

Total access for decks, walls and ceilings

Flexibility as your best ally
Maintenance friendly
Easy substitution of boards



A solid rock substructure

Improved loading capacity to more than 4.000kgs per sqm.

Superior mechanical properties to hold clips.

Upgraded stability: will remain straight, it won't warp nor decay.

Enlarged service life 25 years warranty for aluminum joists.

Save costs and time by using less pedestals.

Fixed lenghts of 2.200mm.



Low single



Single 45 x 32 mm




Low double




Double 54 x 32 mm



COMPLETE SOLUTIONS





Our **double joist** is the crucial point, on which all the beginnings and ends of boards must rest.



Our **double joist** is essential for the correct installation of the product, leaving 4mm of expansion space between the boards of Tech WPC products.

Build it with a lifetime foundation





CHOICE



COLOURS



- 6 colours WPC
- Grooved surface
- Semi solid robust body
- 30% PE + 65% bamboo dust + 5% additives
- Patented invisible profile
- Patented The Magnet installation system

Installation	Thickness (mm)	Width (mm)	Length (mm)
Magnet	22	145	2200


























ROCK & WALL



COLOURS



- 6 colours WPC
- Smooth surface
- Solid body
- 30% PE + 65% bamboo dust + 5% additives
- Patented invisible profile
- Patented The Magnet installation system
- For **Tech Wall** 13 mm thickness optimized for non-passable areas

	Installation	Thickness (mm)	Width (mm)	Length (mm)
ROCK	Magnet	20	145	2200
WALL	Magnet	13	145	2200






























CUBE



COLOURS



- 6 premium colors UV resistant
- Surface with wood texture, brushed and anti-stain
- Solid and semi solid body
- 30% PE + 65% bamboo dust + 5% additives
- Patented invisible profile
- Patented The Magnet installation system

Installation	Thickness (mm)	Width (mm)	Length (mm)
Magnet / SpeedClip / Screwdown clip	22	145	2200





















Walls and ceiling's beautification

exterpark tech

CUBE WALL



COLOURS



- 6 colours wpc
- 25.5 mm thickness for non-walkable areas
- 30% PE + 65% bamboo dust + 5% additives
- Accessories: aluminum clip, cladding board and L-profile

Installation	Thickness (mm)	Width (mm)	Length (mm
With aluminum clip	25,5	159	2200






















SUPREME



COLOURS



- 4 colours with ultra-matte wood texture
- 30%-40% lighter than WPC
- Best Slip Resistance Performance: Class 3Rd > 45 R11
- SGS fire test: Bfl-s1 EN standard
- Anti-UV Tested by Intertek. No color fading.
- Balanced solid body made of 100% foamed PVC
- Patented invisible profile
- Patented The Magnet installation system

Installation	Thickness (mm)	Width (mm)	Length (mm)	
Magnet	23	100 - 145	2200	
*Magnet	20	145	2200	



















BAMBOO FSC®



3 shades of bamboo decking









CARBONIZED

GREY



















exterpark BAMBOO NATURAL





exterpark BAMBOO CARBONIZED







exterpark BAMBOO GREY







WOOD



We pay respect to one of the most precious raw materials by ensuring the highest manufacturing quality and service life

DIMENSIONS

















CUMARU

DOLCE HOTEL by Wyndham SITGES, SPAIN











ELONDO FSC°









IROKO









IPE FSC* HERRINGBONE

OUTDOOR SPACE SINGAPORE







PLANTATION TEAK FSC*

LOUVRE MUSEUM ABU DHABI, UAE








TEAK HERRINGBONE



SUCUPIRA
















ANGELIM





PRIVATE RESIDENCE IBIZA, SPAIN











DOUSSIE



THERMO OAK







26





27





CHANGE THE PATTERN & RAISE THE STANDARDS



Tel. +34 93 508 65 80 hola@exterpark.com · www.exterpark.com

Follow us



BARCELONA SINCE 1977